



SKIDSTEER

QUICK REFERENCE GUIDE



RADIATORS • BLOWER MOTORS • CONDENSERS
OIL COOLERS • CHARGE AIR COOLERS • AUXILIARY HEATERS



RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
BOBCAT				
443	6563691, 6678670, 6677347	219877	-----	
453	6563691, 6678670, 6677347	219877	-----	SN 515011001 & After
463	6563691, 6678670, 6677347	219877	-----	SN 519911001 to SN 522211000
463	6678820, 6672455, 7009566	219912	RW0021-2	SN 522211001 & After, PTR Version of 219913
463	6678820, 6672455, 7009566	219913	RW0021-2	SN 522211001 & After, CBR Version of 219912
533	6557255	219910	-----	
543	6563691, 6678670, 6677347	219877	-----	SN 11999 & Before SN 12001 & After, w/Isuzu Diesel Engine
553	6563691, 6678670, 6677347	219877	-----	SN 120001 & After, w/18 1/4" Core Height
553	6736362	219990	-----	SN 520311001 & After, w/26 1/4" Core Height
642	6571713, 6630246	219878	-----	w/Ford Gas Engine
643	6571713, 6630246	219878	-----	w/Kubota Diesel Engine
645	6648820, 6630186	219879	-----	SN 150001 & After
653	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
742	6571713, 6630246	219878	-----	SN 501811001 & After, w/Ford Gas Engine, SN 507423001 & After, w/Mitsubishi Gas Engine
743	6571713, 6630246	219878	-----	SN 501911001 to SN 501914999
743	6648820, 6630186	219879	-----	SN 50195001 & After, SN 5025M50001 & After, SN 509311001 to SN 509317999, SN 509318001 & After
753	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
763	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
773	6685733, 6718648	219989	-----	SN 519211001 to 519214999
773	6674377, 6675266	219988	-----	SN 500K11001 to SN 517624999, SN 518011001 to SN 519211000
773	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
825	6519324	219892	-----	w/Perkins Diesel
843	6630558, 6630247	219914	-----	SN 13001 to SN 23999, SN 502011001 to SN 502012999
843	6648799	219915	-----	w/Isuzu Diesel Engine
853	6579535	219955	-----	w/Isuzu Diesel Engine
943	6660004, 666004, 6630958	219983	-----	w/Perkins Diesel Engine
963	6674691	219985	-----	
970	6515512	219891	-----	w/Continental Gas, Perkins Diesel
974	6515512	219891	-----	SN 10999 & Before
974	6512563	219890	-----	SN 11001 & After, w/Perkins Diesel
975	6512563	219890	-----	w/John Deere Diesel
7753	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
443B	6563691, 6678670, 6677347	219877	-----	w/Kubota Diesel Engine
453C	6563691, 6678670, 6677347	219877	-----	w/Kubota Diesel Engine
453D	6563691, 6678670, 6677347	219877	-----	w/Kubota Diesel Engine
453F	6563691, 6678670, 6677347	219877	-----	w/Kubota Diesel Engine
463F	6563691, 6678670, 6677347	219877	-----	SN 519911001 & After, SN 520011001 & After
542B	6578683	219911	-----	w/Ford Gas Engine
543B	6563691, 6678670, 6677347	219877	-----	w/Kubota Diesel Engine
553AF	6678820, 6672455, 7009566	219912	RW0021-2	PTR Version of 219913
553AF	6678820, 6672455, 7009566	219913	RW0021-2	CBR Version of 219912
553C	6563691, 6678670, 6677347	219877	-----	w/Kubota Diesel Engine
553F	6563691, 6678670, 6677347	219877	-----	w/Kubota Diesel Engine, w/18 1/4" Core Height
553F	6678820, 6672455, 7009566	219912	RW0021-2	w/Kubota Diesel Engine, w/23" Core Height, PTR Version of 219913

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
BOBCAT (CONT)				
553F	6678820, 6672455, 7009566	219913	RW0021-2	w/Kubota Diesel Engine, w/23" Core Height, CBR Version of 219912
553G	6563691, 6678670, 6677347	219877	-----	w/Kubota Diesel Engine
642B	6571713, 6630246	219878	-----	w/Mitsubishi Gas Engine
733G	6685733, 6718648	219989	-----	
742B	6571713, 6630246	219878	-----	w/Kubota Diesel Engine
743B	6648820, 6630186	219879	-----	w/Kubota Diesel Engine
743DS	6648820, 6630186	219879	-----	w/Kubota Diesel Engine
751C	666384, 6666384	219882	RW0021-2	w/Peugeot Diesel Engine
751F	666384, 6666384	219882	RW0021-2	SN 515711001 to SN 515729999, w/Kubota Diesel Engine
751G	666384, 6666384	219882	RW0021-2	SN 515730001 & After, w/Kubota Diesel Engine
753C	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
753F	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
753G	666384, 6666384	219882	RW0021-2	SN 515730001 & After, w/Kubota Diesel Engine
753H	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
753HC	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
753L	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
763C	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
763F	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
763G	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
763H	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
763HC	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
763HF	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
763HG	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
773C	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
773F	666384, 6666384	219882	RW0021-2	w/Kubota Diesel Engine
773G	6685733, 6718648	219989	-----	Turbo w/Kubota Diesel Engine
773T G Series	6684367, 6737650, 6737658, 7173921	219986	-----	
843B	6648799	219915	-----	w/Isuzu Diesel Engine
843H	6648799	219915	-----	SN 5033724001 & After, w/Isuzu Diesel Engine
843HC	6648799	219915	-----	w/Isuzu Diesel Engine
853C	6579535	219955	-----	w/Isuzu Diesel Engine
853F	6579535	219955	-----	w/Isuzu Diesel Engine
853H	6579535	219955	-----	w/Isuzu Diesel Engine
853HC	6579535	219955	-----	w/Isuzu Diesel Engine
953C	6660004, 666004, 6630958	219983	-----	w/Perkins Diesel Engine
953F	6660004, 666004, 6630958	219983	-----	w/Perkins Diesel Engine
963C	6673111, 6668878, 6673711	219984	-----	SN 516511001 to SN 14999, w/Perkins Diesel Engine
963G	6674691	219985	-----	SN 516515001 & After, w/Perkins Diesel Engine
970D	6515512	219891	-----	
970G	6515512	219891	-----	
A300	6684367, 6737650, 6737658, 7173921	219986	-----	w/Kubota 3300 Engine
S100	6690594	211070	-----	SN A2G711001 & After, SN A2G811001 to SN 19999, SN A8ET11001 to SN 19999, SN A8ET20001 & After, SN AB6411001 to SN 19999, SN AB6420001 & After
S130	6736362	219990	-----	SN 524611001 & After, SN 524711001 & After, SN 527311001 & After, SN 527411001 & After, SN 529211001 & After, SN 529611001 & After, SN A00E11001 & After, SN A14W11001 & After
S130 G Series	6685733, 6718648	219989	-----	SN 524611001 & After, SN 524711001 & After

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
BOBCAT (CONT)				
S150	6685733, 6718648	219989	-----	SN 523811001 & After, SN 523911001 & After, SN 524011001 & After, SN 524111001 & After
S150	6686077, 6734100	219991	-----	SN 523811001 & After, SN 523911001 & After, SN 524011001 & After, SN 524111001 & After, SN 526611001 & After, SN 526711001 & After, SN 526811001 & After, SN 526911001 & After, SN 529711001 & After, SN 529811001 & After, SN 539711001 & After
S150 G Series	6686077, 6734100	219991	-----	
S150	6686077, 6734100	211130	-----	SN 523811001 & After, SN 523911001 & After, SN 524011001 & After, SN 524111001 & After, SN 526611001 & After, SN 526711001 & After, SN 526811001 & After, SN 526911001 & After, SN 529711001 & After, SN 529811001 & After, SN 539711001 & After
S150 G Series	6686077, 6734100	211130	-----	
S160	6685733, 6718648	219989	-----	SN 523811001 & After, SN 523911001 & After, SN 524011001 & After, SN 524111001 & After
S160	6686077, 6734100	219991	-----	SN 523811001 & After, SN 523911001 & After, SN 524011001 & After, SN 524111001 & After, SN 526611001 & After, SN 526711001 & After, SN 526811001 & After, SN 529911001 & After, SN 530011001 & After, SN A15111001 & After
S160 G Series	6686077, 6734100	219991	-----	
S160	6686077, 6734100	211130	-----	SN 523811001 & After, SN 523911001 & After, SN 524011001 & After, SN 524111001 & After, SN 526611001 & After, SN 526711001 & After, SN 526811001 & After, SN 529911001 & After, SN 530011001 & After, SN A15111001 & After
S160 G Series	6686077, 6734100	211130	-----	
S175	6685733, 6718648	219989	-----	SN 517625001 & After, SN 518115001 & After, SN 519028001 & After, SN 519215001 & After
S175	6686077, 6734100	219991	-----	SN 517625001 & After, SN 518115001 & After, SN 519215001 & After, SN 525011001 & After, SN 525111001 & After, SN 525211001 & After, SN 525311001 & After, SN 530111001 & After, SN 530211001 & After
S175	6686077, 6734100	211130	-----	SN 517625001 & After, SN 518115001 & After, SN 519215001 & After, SN 525011001 & After, SN 525111001 & After, SN 525211001 & After, SN 525311001 & After, SN 530111001 & After, SN 530211001 & After
S175 G Series	6685733, 6718648	219989	-----	SN 525011001 & After, SN 525111001 & After, SN 525211001 & After, SN 525311001 & After
S185	6685733, 6718648	219989	-----	SN 517625001 & After, SN 518115001 & After, SN 519028001 & After, SN 519215001 & After
S185	6686077, 6734100	219991	-----	SN 517625001 & After, SN 518115001 & After, SN 519028001 & After, SN 519215001 & After, SN 525011001 & After, SN 525111001 & After, SN 525211001 & After, SN 525311001 & After, SN 530311001 & After, SN 530411001 & After
S185	6686077, 6734100	211130	-----	SN 517625001 & After, SN 518115001 & After, SN 519028001 & After, SN 519215001 & After, SN 525011001 & After, SN 525111001 & After, SN 525211001 & After, SN 525311001 & After, SN 530311001 & After, SN 530411001 & After
S185 G Series	6685733, 6718648	219989	-----	SN 525011001 & After, SN 525111001 & After, SN 525211001 & After, SN 525311001 & After
S205	6686077, 6734100	219991	-----	SN 517625001 & After, SN 518115001 & After, SN 519028001 & After, SN 519215001 & After, SN 525011001 & After, SN 525111001 & After, SN 525211001 & After, SN 525311001 & After, SN 528411001 & After, SN 528511001 & After, SN 530311001 & After

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
BOBCAT (CONT)				
S205	6686077, 6734100	211130	-----	SN 517625001 & After, SN 518115001 & After, SN 519028001 & After, SN 519215001 & After, SN 525011001 & After, SN 525111001 & After, SN 525211001 & After, SN 525311001 & After, SN 528411001 & After, SN 528511001 & After, SN 530311001 & After
S220	6684367, 6737650, 6737658, 7173921	219986	-----	w/Kubota 3300 Engine
S250	6684367, 6737650, 6737658, 7173921	219986	-----	w/Kubota 3300 Engine
S300	6684367, 6737650, 6737658, 7173921	219986	-----	w/Kubota 3300 Engine
S330	6684367, 6737650, 6737658, 7173921	219986	-----	w/Kubota 3300 Engine
S510	7025613, 7024100	211124	-----	SN A3NJ11001 to SN A3NJ11704, SN A3NK11001 & After, SN ATZC11001 & After
S530	7025613, 7024100	211124	-----	SN A7TV1101 to SN A7TV12646, SN A7TV12648 to SN A7TV12651, SN AZN711001 & After, SN ATZD11001 & After, SN AZN611001 & After
S550	7025613, 7024100	211124	-----	SN A3NL11001 to SN A3NL11635, SN A3NM11001 & After, SN AZ9N11001 & After, SN AZN811001 & After
S570	7025613, 7024100	211124	-----	SN A7U711001 to SN A7U713404, SN A7U713411 to SN A7U713412, SN A7U811001 & After, SN AZNC11001 & After, SN AZNB11001 & After
S590	7025613, 7024100	211124	-----	SN ANMN11001 to SN ANMN13340, SN ANMP11001 & After, SN AZNE11001 & After, SN AZND11001 & After
S630	7025613, 7024100	211124	-----	SN A3NT11001 & After, SN A3NU11001 & After
S650	7025613, 7024100	211124	-----	SN A3NZ11001 & After, SN A3NW11001 & After
S70	6678820, 6672455, 7009566	219912	RW0021-2	SN AW611001 & After, PTR Version of 219913
S70	6678820, 6672455, 7009566	219913	RW0021-2	SN AW611001 & After, CBR Version of 219912
S750	7025103, 7024102	211125	-----	SN A3P211001 to SN A3P214829, SN A3P214830 & After, SN ATDZ11001 to SN ATDZ12612, SN ATDZ12613 & After
S770	7025103, 7024102	211125	-----	SN A3P411001 to SN A3P413091, SN A3P511001 to SN A3P512440, SN A3P413092 & After, SN A3P512441 & After, SN ASRV11001 to SN ASRV13052, SN ASRV13053 & After, SN ATF211001 to SN ATF212073, SN ATF212074 & After, SN ATF311001 & After
S850	7025105, 7024101	211126	-----	SN ATF411001 to SN ATF411989, SN ACS711001 to SN ACS712953

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
BOBCAT (CONT)				
S850	7025105, 7024101	211126	-----	SN ACSL11001 to SN ACSL12612, SN ACS712954 & After, SN ACSL12613 & After, SN ATF411990 & After, SN ATF511001 & After
T110	6690594	211070	-----	SN AEOH11001 & After, SN AEOJ11001 & After
T140	6736362	219990	-----	SN 527111001 & After, SN 527211001 & After, SN 529311001 & After, SN 531311001 & After
T180	6686077, 6734100	219991	-----	SN 524211001 & After, SN 524311001 & After, SN 527511001 & After, SN 527611001 & After, SN 531411001 & After, SN 531511001 & After
T180 G Series	6686077, 6734100	219991	-----	
T180	6686077, 6734100	211130	-----	SN 524211001 & After, SN 524311001 & After, SN 527511001 & After, SN 527611001 & After, SN 531411001 & After, SN 531511001 & After
T180 G Series	6686077, 6734100	211130	-----	
T190	6685733, 6718648	219989	-----	SN 519311001 & After, SN 527011001 & After, SN 527911001 & After, SN 519311001 & After, SN 519411001 & After, SN 527011001 & After
T190	6686077, 6734100	219991	-----	SN 527711001 & After, SN 527811001 & After, SN 527911001 & After, SN 531611001 & After, SN 531711001 & After, SN 519311001 & After, SN 519411001 & After, SN 527011001 & After
T190	6686077, 6734100	211130	-----	SN 527711001 & After, SN 527811001 & After, SN 527911001 & After, SN 531611001 & After, SN 531711001 & After
T190 G Series	6685733, 6718648	219989	-----	SN 519314343 & Before, w/Kubota Diesel Engine
T250	6684367, 6737650, 6737658, 7173921	219986	-----	w/Kubota 3300 Engine
T300	6684367, 6737650, 6737658, 7173921	219986	-----	w/Kubota 3300 Engine
T320	6684367, 6737650, 6737658, 7173921	219986	-----	w/Kubota 3300 Engine
T550	7025613, 7024100	211124	-----	SN A7UJ11001 & After
T590	7025613, 7024100	211124	-----	SN A3NR11001 to SN A3NR11359, SN A3NR11369 to SN A3NR11370, SN A3NS11001 to SN A3NS11284
T630	7025613, 7024100	211124	-----	SN A7PU11001 to SN A7PU13680, SN A7PU13681 to SN A7PU14098
T650	7025613, 7024100	211124	-----	SN A3P011001 to SN A3P017020, SN A3P111001 to SN A3P112595, SN A3P017021 to SN A3P017883, SN A3P112596 to SN A3P112824
T750	7025103, 7024102	211125	-----	SN ANKA11001 to SN ANKA13750, SN ANKZ13751 & After, SN ATF611001 & After
T770	7025103, 7024102	211125	-----	SN A3P811001 to SN A3P813660, SN A3P911001 to SN A3P912295, SN A3P813661 & After, SN A3P912296 & After, SN AUYB11001 to SN AUYB11679, SN AUYB11680 & After, SN AN8T11001 to SN AN8T12182, SN AN8T12183 & After, SN ATF711001 & After
T870	7025105, 7024101	211126	-----	SN A3PG11001 to SN A3PG12912, SN A3PH11001 to SN A3PH12530, SN A3PG12913 & After

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
BOBCAT (CONT)				
T870	7025105, 7024101	211126	-----	SN A3PH12531 & After, SN AN8L11001 to SN AN8L12053, SN AN8L12054 & After, SN ATF811001 & After
TB85	6686077, 6734100	219991	-----	CBR Design
TB85	6686077, 6734100	211130	-----	All Aluminum Design
TB90	6686077, 6734100	219991	-----	CBR Design
TB90	6686077, 6734100	211130	-----	All Aluminum Design
TB100	6686077, 6734100	219991	-----	CBR Design
TB100	6686077, 6734100	211130	-----	All Aluminum Design
TB110	6686077, 6734100	219991	-----	CBR Design
TB110	6686077, 6734100	211130	-----	All Aluminum Design
TB120	6686077, 6734100	219991	-----	CBR Design
TB120	6686077, 6734100	211130	-----	All Aluminum Design
CASE/IH				
SR150	87033479	219998	-----	
SR175	84499505	211137	-----	5/1/2013 & After
SR175	84379153	211143	-----	Up to 4/30/2013
SR200	84379153	211143	-----	4/1/2011 & After
SR220	84499505	211137	-----	1/1/2013 & After
SR220	84379154	211136	-----	Up to 12/31/2012
SR240	84379154	211136	-----	Tier 4B 3/1/2015 & After
SR250	84499505	211137	-----	7/1/2012 to 3/31/2015
SR250	84379154	211136	-----	Up to 6/30/2012
SV185	84499505	211137	-----	5/1/2013 & After
SV185	84379153	211143	-----	Up to 4/30/2013
SV250	84379154	211136	-----	Up to 3/31/2013
SV250	84499505	211137	-----	4/1/2013 & After
SV280	84379154	211136	-----	Tier 4B 3/1/2015 & After
SV300	84379154	211136	-----	Up to 6/30/2012
SV300	84499505	211137	-----	7/1/2012 to 3/31/2015
TR270	84379153	211143	-----	Track Loader, Up to 9/30/2013
TR320	84379154	211136	-----	Track Loader, Up to 6/30/2012
TR320	84499505	211137	-----	Track Loader, 7/1/2012 & After
TV380	84379154	211136	-----	Track Loader, Up to 6/30/2012
TV380	84499505	211137	-----	Track Loader, 7/1/2012 to 3/31/2015
40XT	386919A2, 386918A2	211147	-----	
60XT	386913A2, 386915A2, 386911A1, 379022A1	211148	-----	
70XT	386913A2, 386915A2, 386911A1, 379022A1	211148	-----	
85XT	237992A3, 237991A2	219803	RW0021-12	w/Diesel Engine, w/o A/C
90XT	237992A3, 237991A2	219803	RW0021-12	w/Diesel Engine, w/o A/C
95XT	237992A3, 237991A2	219803	RW0021-12	w/Diesel Engine, w/o A/C
410	87688523	211139	-----	North American SN N7M480924 & After, European SN N7M468736 & After
410	87013856, 87015523	219997	-----	North American SN Before N7M4809, European SN Before N7M468736 (2/05 & After), OEM PTR Design

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
CASE/IH (CONT)				
410	87013856	212065	-----	North American SN Before N7M4809, European SN Before N7M468736 (2/05 & After), CBR Design
420	87013856, 87015523	219997	-----	North American SN Before N7M46671, European SN Before N8M466713 (2/05 & After), OEM PTR Design
420	87013856	212065	-----	North American SN Before N7M46671, European SN Before N7M468736 (2/05 & After), CBR Design
420CT	87688523	211139	-----	SN N7M455401 & After
420CT	87013856, 87015523	219997	-----	North American SN Before SN N7M45501 (3/06 & After)
420CT	87013856	212065	-----	North American SN Before SN N7M45501 (3/06 & After)
430	87688523	211139	-----	North American SN N7M479683 & After, European SN N7M479546 & After
430	87013856, 87015523	219997	-----	North American SN 430N7M479683, European SN 430M7M479546 (2/05 & After), OEM PTR Design
430	87013856	212065	-----	North American SN 430N7M479683, European SN 430M7M479546 (2/05 & After), CBR Design
435	87013856, 87015523	219997	-----	OEM PTR Design, SN Before SN N7M425032, (3/04 To 12/07)
435	87013856	212065	-----	Before SN N7M425032, (3/04 To 12/07), CBR Design
435	87688523	211139	-----	SN N7M425032 & After
440	87688523	211139	-----	North American SN N8M474469 & After, European SN N8M407542 & After
440	87013856, 87015523	219997	-----	North American SN Before N87M474469, European SN Before N8M407542 (2/05 & After), OEM PTR Design
440	87013856	212065	-----	CBR Design, North American SN Before N87M474469, European SN Before N8M407542 (2/05 & After)
440CT	87013856, 87015523	219997	-----	Before SN N7M483467 (3/06 & After)
440CT	87013856	212065	-----	Before SN N7M483467 (3/06 & After)
440CT	87688523	211139	-----	SN N7M483467 & After
445	87688523	211139	-----	SN N7M454787 & After
445	87013856, 87015523	219997	-----	Before SN N7M454787 (3/04 & After)
445	87013856	212065	-----	Before SN N7M454787 (3/04 & After)
445CT	87013856, 87015523	219997	-----	Before SN N8M458846 (4/05 & After)
445CT	87013856	212065	-----	Before SN N8M458846 (4/05 & After)
445CT	87688523	211139	-----	SN N8M458846 & After
450	87688523	211139	-----	SN N7M464019 & After
450	87013856, 87015523	219997	-----	Tier 2 w/SN N7M458414 & Before (1/05 to 12/07), OEM PTR Design
450	87013856	212065	-----	Tier 2 w/SN N7M458414 & Before (1/05 to 12/07), CBR Design
450CT	87688523	211139	-----	SN N7M464019 & After
450CT	87013856, 87015523	219997	-----	Before SN N7M464019 (4/05 & After)
465	87688523	211139	-----	SN N7M452623 & After
465	87013856, 87015523	219997	-----	Before SN N7M452623, 1/05 & After, OEM PTR Design
465	87013856	212065	-----	Before SN N7M452623, 1/05 & After, CBR Design
1818	A173836	211071	-----	w/Diesel Engine
1825	A173836	211071	-----	SN JAF0096437 & Before, w/Gas or Diesel
1825	109612A2	211072	-----	SN JAF0096438 & After, w/Gas or Diesel
1825B	109612A2	211072	-----	w/Diesel Engine
1835	D83592	219750	-----	Gas or Diesel, 1980 to 1982
1835B	D83592	219750	-----	Gas or Diesel, 1982 to 1988
1835C	A190749	219951	RW0021-12	Gas or Diesel

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
CASE/IH (CONT)				
1838	126522A1	219800	RW0021-12	w/Diesel Engine
1840	1347609C1, 301877A2, A173415, 301877A1, A173886, 252930A1, 1A12192, CS017, 1A18278	219898	RW0021-12	w/ or w/o Emmisions Certified Engines
1845	D81055	219701	RW0021-1	SN 9855225 & After, w/Diesel Engine,
1845B	D81055	219701	RW0021-1	SN 9855225 & After, w/Side Mounting Brackets
1845C	1347609C1, 301877A2, A173415, 301877A1, A173886, 252930A1, 1A12192, CS017, 1A18278	219898	RW0021-12	w/ or w/o Emmisions Certified Engines
1845S	D81055	219701	RW0021-1	SN 9855225 & After, w/Side Mounting Brackets
FORD/NEW HOLLAND				
C175	87013856, 87015523	219997	-----	1/07 & After, OEM PTR Design
C175	87013856	212065	-----	1/07 & After, CBR Design
C185	87013856, 87015523	219997	-----	SN N8M469897 & Before, PTR Design
C185	87013856	212065	-----	SN N8M469897 & Before, CBR Design
C185	87687377	211122	-----	SN N8M469898 & After
C190	87013856, 87015523	219997	-----	SN N7M457281 & Before, OEM PTR Design
C190	87013856	212065	-----	SN N7M457281 & Before, OEM CBR Design
C190	87687377	211122	-----	SN N7M457282 & After
C227	84379153	211143	-----	4/1/2011 & After
C232	84379154	211136	-----	Up to 12/31/2012, Tier 4B 3/1/2015 & After
C238	84379154	211136	-----	Up to 6/30/2012
C232	84499505	211137	-----	Tier 4A 1/1/2013 to 2/28/2015
C238	84499505	211137	-----	Tier 4A 7/1/2012 to 3/31/2015
LS140	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	SN LMU004820 & Before
LS140	87033479	219998	-----	SN LMU004821 & After
LS140E	87033479	219998	-----	SN LMU004314 & After
LS140E	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	SN LMU004313 & Before
LS150	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	SN LMU024704 & Before
LS150	87033479	219998	-----	SN LMU024705 & After
LS150E	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	SN LMU002491 & Before
LS150E	87033479	219998	-----	SN LMU002492 & After
LS160	87033479	219998	-----	SN LMU024134 & After
LS160	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	SN LMU024133 & Before
LS160E	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	SN LMU008270 & Before
LS160E	87033479	219998	-----	SN LMU008271 & After
LS170	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	SN LMU024443 & Before
LS170	87033479	219998	-----	SN LMU024444 & After
LS170E	87033479	219998	-----	SN LMU020485 & After
LS170E	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	SN LMU020484 & Before
L175	87013856, 87015523	219997	-----	1/07 & After, OEM PTR Design

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
FORD/NEW HOLLAND (CONT)				
L175	87013856	212065	-----	1/07 & After, CBR Design
L180	87013856, 87015523	219997	-----	1 Speed SN N8M464427 & Before, 2 Speed SN N8M464425 & Before, OEM PTR Design
L180	87013856	212065	-----	1 Speed SN N8M464427 & Before, 2 Speed SN N8M464425 & Before, CBR Design
L180	87687377	211122	-----	1 Speed SN N8M464428 & After, 2 Speed SN N8M464426 & After
L185	87013856, 87015523	219997	-----	1 Speed SN N8M465248 & Before, 2 Speed SN N8M465246 & Before, OEM PTR Design
L185	87013856	212065	-----	1 Speed SN N8M465248 & Before, 2 Speed SN N8M465246 & Before, CBR Design
L185	87687377	211122	-----	1 Speed SN N8M465249 & After, 2 Speed SN N8M465247 & After
L190	87013856, 87015523	219997	-----	SN N7M459486 & Before, OEM PTR Design
L190	87013856	212065	-----	SN N7M459486 & Before, CBR Design
L190	87687377	211122	-----	SN N7M459487 & After
L218	84499505	211137	-----	5/1/2013 & After
L218	84379153	211143	-----	Up to 4/30/2013
L220	84499505	211137	-----	5/1/2013 & After
L220	84379153	211143	-----	Up to 4/30/2013
L228	84379154	211136	-----	Tier 4B 3/1/2015 & After
L230	84499505	211137	-----	7/1/2012 to 3/31/2015
L230	84379154	211136	-----	3/1/2015 & After
L255	847465	219965	RW0021-1	
L454	9828621, MG9828621	219967	RW0021-1	
L455	9828621, MG9828621	219967	RW0021-1	
L465	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	
L553	9828737, MG9828737	219805	RW0021-1	SN 712165 & After, w/Diesel Engine
L554	MG771716, 771706, 771716	219806	RW0021-1	w/Gas Engine
L555	MG771716, 771706, 771716	219806	RW0021-1	SN 712164 & Before, w/Perkins Diesel Engine
L555	9828737, MG9828737	219805	RW0021-1	SN 712165 & After, w/Kubota Diesel Engine
L565	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	w/Diesel Engine, 1/1/98 & After
L665	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	w/Diesel Engine, 1/1/98 & After
L779	9619995	219920	RW0021-1	Gas & Diesel
L783	9828738	219921	RW0021-1	w/Ford Diesel Engine
L783	9619995	219920	RW0021-1	w/Perkins Diesel Engine
L784	9619995	219920	RW0021-1	w/Gas Engine
L785	9828738	219921	RW0021-1	w/Ford Diesel Engine
L785	9619995	219920	RW0021-1	w/Perkins Diesel Engine
L865	MG86534243, 86534243, A86534243, 86511967	219922	-----	w/Diesel Engine
L885	MG86534243, 86534243, A86534243, 86511967	219922	-----	w/Diesel Engine
LS125	847465	219965	RW0021-1	w/Diesel Engine
LS140	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	w/Diesel Engine, 12/31/97 & Before
LS140	87033479	219998	-----	SN LMU004821 & After

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
FORD/NEW HOLLAND (CONT)				
LS140E	87033479	219998	-----	SN LMU004314 & After
LS150	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	w/Diesel Engine, 12/31/97 & Before
LS150	87033479	219998	-----	SN LMU004821 & After
LS160	87033479	219998	-----	SN LMU024134 & After
LS160E	87033479	219998	-----	
LS170	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	w/Diesel Engine
LS170	87033479	219998	-----	SN LMU024444 & After
LS170E	87033479	219998	-----	SN LMU020485 & After
LS180	MG86534243, 86534243, A86534243, 86511967	219922	-----	w/Diesel Engine
LS180B	87013856, 87015523	219997	-----	OEM PTR Design
LS180B	87013856	212065	-----	CBR Design
LS185B	87013856, 87015523	219997	-----	OEM PTR Design
LS185B	87013856	212065	-----	CBR Design
LS190	86546700	219923	-----	w/Diesel Engine
LS190B	87013856, 87015523	219997	-----	OEM PTR Design
LS190B	87013856	212065	-----	CBR Design
LT185B	87013856, 87015523	219997	-----	3/05 & After, OEM PTR Design
LT185B	87013856	212065	-----	3/05 & After, CBR Design
LT190B	87013856, 87015523	219997	-----	3/05 & After, OEM PTR Design
LT190B	87013856	212065	-----	3/05 & After, CBR Design
LX465	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	w/Diesel Engine, 12/31/97 & Before
LX485	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	w/Diesel Engine, 12/31/97 & Before
LX565	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	w/Diesel Engine, 1/1/98 & After
LX665	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	w/Diesel Engine
LX865	MG86534243, 86534243, A86534243, 86511967	219922	-----	w/Diesel Engine
LX885	MG86534243, 86534243, A86534243, 86511967	219922	-----	w/Diesel Engine
LX985	86546700	219923	-----	w/Diesel Engine
GEHL				
HL2800	134140, 067683	211018	-----	
HL4400	121462, 055041	211014	RW0021-292B	w/Perkins Engine
HL4400	121462, 055041	211014	RW0021-292B	w/Ford Gas Engine
HL4400	121462, 055041	211014	RW0021-292B	w/LP Gas Engine
HL4500	121462, 055041	211014	RW0021-292B	
HL4600	121462, 055041	211014	RW0021-292B	w/Perkins Diesel Engine
HL4700	121462, 055041	211014	RW0021-292B	w/Ford LP Gas Engine
SL2800	134140, 067683	211018	-----	
SL3410	134140, 067683	211018	-----	w/Diesel Engine
SL3510	134140, 067683	211018	-----	SN 1870 to 2420, w/Gas Engine
SL3515	134140, 067683	211018	-----	w/Gas Engine

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
GEHL (CONT)				
SL3610	134140, 067683	211018	-----	SN 1480 to 2001, w/Gas Engine, SN 1870 & After, w/Diesel Engine
SL3635	42036097A	212009	-----	SN 00001174 & Before
SL3635	191026, 1868598B	212010	-----	SN 00001175 & After
SL3640E	191026, 1868598B	212010	-----	SN 003300 & Before, SN 003301 to SN 003700
SL3725	134140, 067683	211018	-----	w/1 1/2" Core Depth, w/Oil Cooler
SL3725	121450	211020	RW0021-292B	w/2 13/16" Core Depth, w/o Cooler
SL3825	121462, 055041	211014	RW0021-292B	w/1 13/16" Core Depth
SL3825	121450	211020	RW0021-292B	w/2 13/16" Core Depth
SL3825SX	121450	211020	RW0021-292B	
SL3840E	191026, 1868598B	212010	-----	SN 003400 & Before, SN 003401 to SN 004000
SL3935	42036097A	212009	-----	SN 00001336 & Before
SL3935	191026, 1868598B	212010	-----	SN 00001337 & After
SL4510	121462, 055041	211014	RW0021-292B	w/Gas Engine, 1 13/16" Core Depth
SL4525	121462, 055041	211014	RW0021-292B	w/Gas Engine, 1 13/16" Core Depth
SL4525	121867	211015	RW0021-292B	w/3 7/16" Core Depth, 20 15/16" Overall Height
SL4525	127726	211017	-----	w/3 13/16" Core Depth, 23 1/8" Overall Height
SL4610	121462, 055041	211014	RW0021-292B	SN 8501 & Before
SL4615	121462, 055041	211014	RW0021-292B	SN 14201 & Before
SL4625	121462, 055041	211014	RW0021-292B	1 13/16" Core Depth
SL4625	121867	211015	RW0021-292B	w/Gas Engine, 3 7/16" Core Depth, 20 15/16" Overall Height
SL4625	127726	211017	-----	w/Diesel Engine, 3 13/16" Core Depth, 23 1/8" Overall Height
SL4625DX	127726	211017	-----	w/Diesel Engine, 3 13/16" Core Depth, 23 1/8" Overall Height
SL4625SX	121462, 055041	211014	RW0021-292B	1 13/16" Core Depth
SL4625SX	121867	211015	RW0021-292B	w/Gas Engine, 3 7/16" Core Depth, 20 15/16" Overall Height
SL4625SX	127726	211017	-----	w/Diesel Engine, 3 13/16" Core Depth, 23 1/8" Overall Height
SL5625	128182	211016	-----	SN 9764 & After, w/3 1/4" Core Depth
SL6625	128182	211016	-----	SN 7605 & After, w/Perkins 204 Engine, w/3 1/4" Core Depth
4500	121462, 055041	211014	RW0021-292B	1 13/16" Core Depth
4520	121462, 055041	211014	RW0021-292B	1 13/16" Core Depth
4620	121867	211015	RW0021-292B	w/Gas Engine, 3 7/16" Core Depth, 20 15/16" Overall Height
4625	127726	211017	-----	w/Diesel Engine, 3 13/16" Core Depth, 23 1/8" Overall Height
6625DX	128182	211016	-----	w/Perkins 204 Engine, w/3 1/4" Core Depth
6625SX	128182	211016	-----	w/Perkins 204 Engine, w/3 1/4" Core Depth
JOHN DEERE				
CT322	KV23226	212073	-----	
CT332	KV23226	212073	-----	
240	KV20572 , KV12198 , KV15844	219992	-----	
250	KV20572 , KV12198 , KV15844	219992	-----	
260	KV23966, KV19380, KV15870	219933	-----	
270	KV23966, KV19380, KV15870	219933	-----	
280	KV23966, KV19380, KV15870	219933	-----	
317	KV23225	212074	-----	
320	KV23225	212074	-----	
325	KV23226	212073	-----	

RADIATOR Applications

MODEL	OEM #	PART #	RAD. CAP #	NOTES
JOHN DEERE (CONT)				
328	KV23226	212073	-----	
332	KV24895	219993	-----	
375	AM130325	219934	-----	w/Diesel Engine, if replacing OEM 103228 radiator, shroud and hoses may need to be replaced or altered
570	9828621, MG9828621	219967	RW0021-1	w/Gas Engine
575	9828621, MG9828621	219967	RW0021-1	w/Gas Engine
675	9828737, MG9828737	219805	RW0021-1	SN 010393 to SN 170000, w/o Construction Pkg SN 015370 to SN 175000, w/Construction Pkg
675	MG771716, 771706, 771716	219806	RW0021-1	SN 0380001 to SN 750000 & SN 10001 to SN 010392, w/o Construction Pkg SN 0380001 to SN 750000 & SN 105001 to SN 015370, w/Construction Pkg
675B	9828737, MG9828737	219805	RW0021-1	SN 010393 to SN 170000, w/o Construction Pkg SN 015370 to SN 175000, w/Construction Pkg
675B	MG771716, 771706, 771716	219806	RW0021-1	SN 0380001 to SN 750000 & SN 10001 to SN 010392, w/o Construction Pkg SN 0380001 to SN 750000 & SN 105001 to SN 015370, w/ Construction Pkg
3375	AM130325	219934	-----	w/Diesel Engine, if replacing OEM 103228 radiator, shroud and hoses may need to be replaced or altered
4475	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	
5575	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	
6675	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	
7775	86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249	219833	RW0021-1	
8875	MG86534243, 86534243, A86534243, 86511967	219922	-----	w/Diesel Engine
MASSEY FERGUSON				
575	9828621, MG9828621	219967	RW0021-1	w/Diesel Engine
OWATONNA-MUSTANG				
445	42033885, 42033612	219881	-----	
920	42035548, 42534708, 42535924, 42036262	219880	RW0021-1	
920 E Series	42035548, 42534708, 42535924, 42036262	219880	RW0021-1	
930	42035548, 42534708, 42535924, 42036262	219880	RW0021-1	
930A	42035548, 42534708, 42535924, 42036262	219880	RW0021-1	
930A E Series	42035548, 42534708, 42535924, 42036262	219880	RW0021-1	
940	42035548, 42534708, 42535924, 42036262	219880	RW0021-1	
940 E Series	42035548, 42534708, 42535924, 42036262	219880	RW0021-1	
2022	42036097A	212009	-----	SN 00000566 & Before
2022	191026, 1868598B	212010	-----	SN 00000567 & After
2032	42036097A	212009	-----	SN 00000541 & Before
2032	191026, 1868598B	212010	-----	SN 00000542 & After

RADIATOR Illustrations

211014 GEHL

Applications: HL4400, HL4500, HL4600, HL4700, SL3825, SL4500, SL4510, SL4525 (Gas), SL4610, SL4615, SL4625, SL4525SX, 4520

Overall Dimensions:

21 1/8" x 18 3/8"

Core Dimensions:

16 5/8" x 18 1/8" x 1 1/2"

Inlet: 1 1/2"

Outlet: 1 1/2"

Rows: 2 FPI: 8

Filler Neck Height: 2 1/8"

OEM #: 121462, 055041



211015 GEHL

Applications:

SL4625, SL4625SX, 4620

Overall Dimensions:

20 15/16" x 18 1/4"

Core Dimensions:

16 5/8" x 18 1/8" x 3 7/16"

Inlet: 1 1/2"

Outlet: 1 1/2"

Rows: 6

Filler Neck Height: 1 1/2"

OEM #: 121867



211016 GEHL

Applications:

6625DX, 6625SX, SL5625, SL6625

Overall Dimensions:

26 1/4" x 22 1/8"

Core Dimensions:

21" x 21 1/2" x 3 1/4"

Inlet: 1 1/2"

Outlet: 1 3/4"

Rows: 5 FPI: 9

Filler Neck Height: 13/16"

OEM #: 128182



211017 GEHL

Applications:

SL4525, SL4625, SL4625DX, SL4625SX

Overall Dimensions:

23 1/8" x 18 1/4"

Core Dimensions:

19 1/2" x 18 1/8" x 3 13/16"

Inlet: 1 1/2"

Outlet: 1 1/2"

Filler Neck Height: 3/4"

OEM #: 127726



211018 GEHL

Applications:

HL2800, SL2800, SL3410 Diesel, SL3510, SL3515, SL3610, SL3725

Overall Dimensions:

19 3/8" x 19 1/2"

Core Dimensions:

15 1/8" x 16 7/8" x 1 1/2"

Inlet: 1 1/4"

Outlet: 1 1/4"

OEM #: 134140, 067683



211020 GEHL

Applications:

SL3725, SL3825, SL3825SX

Overall Dimensions:

20 15/16" x 18 1/4"

Core Dimensions:

16 5/8" x 18 1/8" x 2 13/16"

Inlet: 1 1/2"

Outlet: 1 1/2"

Rows: 5

OEM #: 121450



RADIATOR Illustrations

211068 BOBCAT

Applications:

5600 Toolcat

Overall Dimensions:

24 ³/₄" x 21 ⁷/₈"

Core Dimensions:

19 ⁷/₈" x 19 ¹/₂" x 2 ⁵/₈"

Inlet: 1 ³/₈"

Outlet: 1 ³/₈"

Rows: 2 **FPI:** 10

OEM #: 6684657

Note: Outlet & drain cock on back side of radiator.



211070 BOBCAT



Applications: S100, T110

Overall Dimensions:

31 ¹⁵/₁₆" x 12 ⁷/₈" x 5"

Core Dimensions:

26" x 11 ⁷/₈" x 2 ⁵/₈"

Inlet: 1 ¹/₄"

Outlet: 1 ¹/₄"

FPI: 12

OEM #: 6690594

211071 CASE/IH

Applications:

1818 Diesel, 1825 Gas & Diesel

Overall Dimensions:

18" x 17 ¹/₄" x 2 ⁵/₈"

Core Dimensions:

13 ³/₄" x 15 ⁷/₈" x 1 ⁷/₈"

Inlet: 1"

Outlet: 1"

Rows: 3 **FPI:** 11 Serpentine

Filler Neck Height: ³/₄"

OEM #: A173836



211072 CASE/IH

Applications: 1825 Gas &

Diesel, 1825B Diesel

Overall Dimensions:

18 ¹/₈" x 18 ¹/₂"

Core Dimensions:

13 ¹/₂" x 18" x 2"

Inlet: 1"

Outlet: 1"

Rows: 3 **FPI:** 8 Flat Fin

Filler Neck Height: ³/₄"

OEM #: 109612A2



211122 FORD/NEW HOLLAND

Applications: C185, C190,

L180, L185, L190

Overall Dimensions:

26 ⁵/₈" x 17"

Core Dimensions:

22 ¹/₄" x 16 ³/₄" x 4 ¹/₈"

Inlet: 1 ³/₄"

Outlet: 1 ³/₄"

Rows: 4 **FPI:** 9

Filler Neck Height: ³/₄"

OEM #: 87687377



211124 BOBCAT

Applications: S510, S530, S550,

S570, S590, S630, S650, T550,

T590, T630, T650

Overall Dimensions:

21 ³/₈" x 20 ⁷/₈"

Core Dimensions:

17 ³/₄" x 20 ¹/₂" x 3"

Inlet: 1 ¹/₂"

Outlet: 1 ¹/₂"

Rows: 3 **FPI:** 10 Serpentine

Filler Neck Height: ³/₄"

OEM #: 7025613,

7024100



RADIATOR Illustrations

211125 BOBCAT

Applications: S750, S770, T750, T770
Overall Dimensions: 24" x 20 7/8"
Core Dimensions: 20 1/2" x 20 1/2" x 3"
Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 3 **FPI:** 10 Serpentine
OEM #: 7025103, 7024102



211126 BOBCAT

Applications: S850, T870
Overall Dimensions: 24" x 20 7/8"
Core Dimensions: 20 1/2" x 20 1/2" x 4 1/8"
Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 4 **FPI:** 10 Serpentine
OEM #: 7025105, 7024101



211130 BOBCAT



Applications: S150, S150G, S160, S160G, S175, S185, S205, T180, T180G, T190, TB85, TB90, TB100, TB110, TB120
Overall Dimensions: 31" x 13 5/8"

Core Dimensions: 26 1/2" x 13 1/4" x 3"
Inlet: 1 1/4"
Outlet: 1 1/4"
Rows: 2 **FPI:** 12
OEM #: 6686077, 6734100

211136 CASE/IH - FORD/NEW HOLLAND



Applications: Case/IH SR220, SR240, SR250, SV250, SV280, SV300, TR320, TV380, Ford/New Holland C232, C238, L228, L230
Overall Dimensions: 27 7/8" x 17 5/8"

Core Dimensions: 23 5/8" x 17 1/2" x 4 1/8"
Inlet: 1 3/4" **Outlet:** 1 3/4"
Rows: 4 **FPI:** 10
Filler Neck Height: 3/4"
OEM #: 84379154

211137 CASE/IH - FORD/NEW HOLLAND



Applications: Case/IH SR175, SR220, SR250, SV185, SV250, SV300, TR320, TV380, Ford/New Holland C232, C238, L218, L220, L230
Overall Dimensions: 29" x 12 3/4"

Core Dimensions: 23 3/4" x 12 1/2" x 4 1/8"
Inlet: 1 3/4" **Outlet:** 1 3/4"
Rows: 4 **FPI:** 10
OEM #: 84499505

211139 CASE/IH

Applications: 410, 420CT, 430, 435, 440, 440CT, 445, 445CT, 450, 450CT, 465
Overall Dimensions: 31 1/2" x 16 5/8"
Core Dimensions: 22 1/4" x 16" x 4 1/8"
Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 4 **FPI:** 10
Filler Neck Height: 3/4"
OEM #: 87688523



RADIATOR Illustrations

211143 CASE/IH - FORD/NEW HOLLAND



Applications: Case/IH SR175, SR200, SV185, TR270, Ford/New Holland C227, L218, L220

Overall Dimensions:
28 1/2" x 17 1/4"

Core Dimensions:
23 5/8" x 17" x 3"

Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 3 **FPI:** 10
Filler Neck Height: 3/4"
OEM #: 84379153

211147 CASE/IH



Applications: 40XT
Overall Dimensions:
29 1/2" x 21 1/4"
Core Dimensions:
20 3/16" x 19 1/8" x 2 3/4"

Inlet: 1 3/4"
Outlet: 2 1/4"
Rows: 4 **FPI:** 8
Filler Neck Height: 3/4"
OEM #: 386919A2, 386918A2

211148 CASE/IH



Applications: 60XT, 70XT
Overall Dimensions:
29 1/2" x 21 1/4"
Core Dimensions:
20 3/16" x 19 1/8" x 4"

Inlet: 1 3/4"
Outlet: 2 1/4"
Rows: 6 **FPI:** 8
OEM #: 386913A2, 386915A2, 386911A1, 379022A1

212009 GEHL/MUSTANG

Applications:
Gehl SL3635, SL3935, Mustang 2022, 2032
Overall Dimensions:
20 1/2" x 17"
Core Dimensions:
16" x 15 5/8" x 2 5/16"
Inlet: 1 1/8"
Outlet: 1 1/8"
Rows: 4 **FPI:** 9
Filler Neck Height: 3/4"
OEM #: 42036097A



212010 GEHL/MUSTANG

Applications:
Gehl SL3635, SL3935, SL3640E, SL, Mustang 2022, 2032
Overall Dimensions:
22 5/8" x 12 7/8"
Core Dimensions:
18" x 11 7/8" x 3 5/16"
Inlet: 1 1/8"
Outlet: 1 1/8"
Rows: 5 **FPI:** 10
Filler Neck Height: 3/4"
OEM #: 191026, 18685988



212065 CASE/IH - FORD/NEW HOLLAND

Applications: Case/IH 410, 420, 420CT, 430, 435, 440, 440CT, 445, 445CT, 450, 465, Ford/New Holland C175, C185, C190, L175, L180, L185, L190, LS180B, LS185B, LS190B, LT185B, LT190B
Overall Dimensions:
25 1/2" x 21 1/2"
Core Dimensions:
21 1/2" x 20 3/4" x 2 1/2"
Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 3 **FPI:** 10
Filler Neck Height: 1"
OEM #: 87013856



RADIATOR Illustrations

212073 JOHN DEERE

Applications: 325, 328,
CT322 Compact Track Loader,
CT332 Compact Track Loader

Overall Dimensions:
27" x 21 5/8"

Core Dimensions:
22 5/8" x 20 3/4" x 2 1/4"

Inlet: 1 3/4"

Outlet: 1 3/4"

Rows: 2 **FPI:** 10

Filler Neck Height: 3/4"

OEM #: KV23226



212074 JOHN DEERE

Applications: 317, 320

Overall Dimensions:
22 3/4" x 21 5/8"

Core Dimensions:
18 3/4" x 20 3/4" x 2 1/4"

Inlet: 1 3/4"

Outlet: 1 3/4"

Rows: 2 **FPI:** 10

Filler Neck Height: 3/4"

OEM #: KV23225



219701 CASE/IH

Applications:

1845, 1845B, 1845S

Overall Dimensions:

26 1/2" x 20 1/4"

Core Dimensions:

19 3/4" x 19 3/8" x 2 1/4"

Inlet: 2"

Outlet: 1 3/4"

Rows: 3 **FPI:** 7

Filler Neck Height: 3/4"

OEM #: D81055



219750 CASE/IH

Applications:

1835, 1835B

Overall Dimensions:

26 3/4" x 20"

Core Dimensions:

19 3/4" x 19 3/8" x 2 1/8"

Inlet: 2"

Outlet: 1 3/4"

Rows: 3 **FPI:** 8

Filler Neck Height: 3/4"

OEM #: D83592



219800 CASE/IH

Applications:

1838 Diesel

Overall Dimensions:

25 1/4" x 21 1/4"

Core Dimensions:

19 3/8" x 20" x 2"

Inlet: 1 3/4"

Outlet: 1 3/4"

Rows: 3 **FPI:** 8

Filler Neck Height: 3/4"

OEM #: 126522A1



219803 CASE/IH

Applications:

85XT, 90XT, 95XT, All Diesel

Overall Dimensions:

26 1/8" x 21 1/4"

Core Dimensions:

20 1/4" x 20 1/8" x 3 1/4"

Inlet: 1 3/4"

Outlet: 2 1/4"

Rows: 5 **FPI:** 7

Filler Neck Height: 3/4"

OEM #: 237992A3, 237991A2



RADIATOR Illustrations

219805 FORD/NEW HOLLAND - JOHN DEERE

Applications: Ford/New Holland L553, L555
John Deere 675, 675B
Overall Dimensions:
23 ⁵/₁₆" x 19"
Core Dimensions:
17 ¹³/₁₆" x 17 ³/₈" x 2 ¹¹/₁₆"
Inlet: 1 ¹/₂"
Outlet: 1 ³/₈"
Rows: 4 FPI: 8
Filler Neck Height: ³/₄"
OEM #: 9828737, MG9828737



219806 FORD/NEW HOLLAND - JOHN DEERE

Applications:
Ford/New Holland L554, L555
John Deere JD675, 675B Diesel
Overall Dimensions:
24" x 19"
Core Dimensions:
17 ³/₄" x 18" x 2"
Inlet: 1 ¹/₂"
Outlet: 1 ¹/₂"
Rows: 3
Filler Neck Height: ³/₄"
OEM #: MG771716, 771706, 771716



219833 FORD/NEW HOLLAND - JOHN DEERE

Applications: Ford/New Holland L465, LX465, LX485, L565, L665, LX565, LX665, LS140, LS140E, LS150, LS150E, LS160, LS160E, LS170, LS170E John Deere 4475, 5575, 6675, 7775
Overall Dimensions:
23" x 18 ³/₄"
Core Dimensions:
18 ⁵/₁₆" x 18" x 3 ¹/₄"
Inlet: 1 ³/₈"
Outlet: 1 ³/₈"
Rows: 5 FPI: 7 Flat Fin
Filler Neck Height: ³/₄"
OEM #: 86534248, 86534249, 9842126, 86563887, MG86563887, MG86534249



219877 BOBCAT



Applications: 443, 443B, 453C, 453D, 453F, 463, 463F Series, 543, 543B, 553, 553C, 553G, 553F
Overall Dimensions:
23 ¹/₄" x 10"
Core Dimensions:
18 ¹/₄" x 9 ¹/₂" x 2 ⁵/₈"

Inlet: 1" **Outlet:** 1"
Rows: 4 FPI: 12
Filler Neck Height: ³/₄"
OEM #: 6563691, 6678670, 6677347
Note: Fill neck on back of top tank

219878 BOBCAT



Applications: 642, 642B, 643, 722, 742, 742B, 743
Overall Dimensions:
30 ¹/₂" x 12 ¹/₈"
Core Dimensions:
24 ⁵/₈" x 11 ¹/₂" x 3"

Inlet: 1 ¹/₄"
Outlet: 1 ¹/₄"
Rows: 4 FPI: 6
Filler Neck Height: ³/₄"
OEM #: 6571713, 6630246

219879 BOBCAT



Applications: 645, 743, 743B, 743DS
Overall Dimensions:
35 ¹/₄" x 12 ¹/₄"
Core Dimensions:
30 ¹/₄" x 11 ¹/₂" x 2 ³/₄"

Inlet: 1 ¹/₄"
Outlet: 1 ¹/₄"
Rows: 4 FPI: 6
Filler Neck Height: ³/₄"
OEM #: 6648820, 6630186

RADIATOR Illustrations

219880 OWATONNA/MUSTANG

Applications: 920, 920 E Series, 930, 930A E Series, 940 E Series

Overall Dimensions:
20 ³/₄" x 17 ¹/₈"

Core Dimensions:
16 ¹/₂" x 15 ⁵/₈" x 2 ¹/₄"

Inlet: 1"

Outlet: 1"

Rows: 3 **FPI:** 8 Flat Fin

Filler Neck Height: ³/₄"

OEM #: 42035548,
42534708, 42535924,
42036262



219881 OWATONNA

Applications: 445

Overall Dimensions:
21" x 16 ³/₄"

Core Dimensions:
16" x 16 ¹/₂" x 2 ⁷/₈"

Inlet: 1 ¹/₂"

Outlet: 1 ¹/₂"

Rows: 4 **FPI:** 10

Filler Neck Height: 1 ¹/₈"

OEM #: 42033885,
42033612



219882 BOBCAT



Applications: S130G Series, 653, 751 Series, 751G Series, 753C Series, 753F Series, 753G Series, 753H, 753HC, 753L, 763, 763C, 763H, 763HC, 763HF, 763HG, 773, 773C Series, 7753

Overall Dimensions:
32" x 12 ¹/₂"

Core Dimensions:
26 ¹/₈" x 12" x 2 ¹/₁₆"

Inlet: 1 ¹/₄"

Outlet: 1 ¹/₄"

Rows: 4

Filler Neck Height: ³/₄"

OEM #: 666384, 6666384

219890 BOBCAT

Applications: 974 Perkins Diesel; Late, 975 John Deere Diesel

Overall Dimensions:
26 ¹/₄" x 20 ¹/₄"

Core Dimensions:
21" x 19 ³/₈" x 3 ¹/₂"

Inlet: 1 ¹/₂"

Outlet: 1 ⁷/₈"

Rows: 6 **FPI:** 7

Filler Neck Height: 1 ³/₈"

OEM #: 6512563



219891 BOBCAT

Applications:

970 Continental Gas & Perkins Diesel, 970D, 970G, Early 974

Overall Dimensions:
25" x 27"

Core Dimensions:
19" x 25" x 2 ³/₄"

Inlet: 1 ¹/₂"

Outlet: 1 ⁷/₈"

Filler Neck Height: ³/₄"

OEM #: 6515512



219892 BOBCAT

Applications:

825 w/Perkins Diesel Engine

Overall Dimensions:
23" x 16 ⁵/₈"

Core Dimensions:
18" x 16 ¹/₄" x 2"

Inlet: 1 ¹/₂"

Outlet: 1 ¹/₈"

Rows: 3 **FPI:** 7

Filler Neck Height: 1 ⁷/₈"

OEM #: 6519324



RADIATOR Illustrations

219898 CASE/IH

Applications:

1840, 1845C

Overall Dimensions:

25" x 21 1/4"

Core Dimensions:

19 1/4" x 20 1/4" x 2"

Inlet: 1 3/4"

Outlet: 2 1/4"

Rows: 3 **FPI:** 7 Flat Fin

Filler Neck Height: 3/4"

OEM #: 1347609C1, 301877A2,

A173415, 301877A1, A173886,

252930A1, 1A12192, CS017,

1A18278



219910 BOBCAT



Applications: 533, 543

Overall Dimensions:

22 3/4" x 12 3/4"

Core Dimensions:

17" x 11 1/4"

Inlet: 1 1/4"

Outlet: 1 1/4"

Rows: 4 **FPI:** 7

Filler Neck Height: 3/4"

OEM #: 6557255

219911 BOBCAT



Applications: 542B

Overall Dimensions:

27 1/2" x 10 1/4"

Core Dimensions:

23" x 9" x 2 7/8"

Inlet: 1"

Outlet: 1"

Rows: 4 **FPI:** 7

OEM #: 6578683

219912 BOBCAT



Applications:

463, 553F, 553AF, S70

Overall Dimensions:

27 7/8" x 10

Core Dimensions:

23" x 9 1/4" x 2 1/2"

Inlet: 1" **Outlet:** 1"

Rows: 2 **FPI:** 12 Serpentine

Filler Neck Height: 1 1/8"

OEM #: 6678820, 6672455, 7009566

Note: Fill neck on back of top tank

219913 BOBCAT



Applications: 463, 553F, 553AF, S70

Overall Dimensions:

27 3/4" x 10 1/4"

Core Dimensions:

23" x 9 1/4" x 2 1/2"

Inlet: 1" **Outlet:** 1"

Rows: 4 **FPI:** 9

Filler Neck Height: 3/4"

OEM #: 6672455, 6678820, 7009566

Note: Fill neck on back of top tank

219914 BOBCAT



Applications: 843, 2000 Wheel Loader

Overall Dimensions:

36" x 12 1/2"

Core Dimensions:

30 1/2" x 11 1/2" x 4"

Inlet: 1 1/2"

Outlet: 1 1/2"

Rows: 6 **FPI:** 8

Filler Neck Height: 3/4"

OEM #: 6630558, 6630247

RADIATOR Illustrations

219915 BOBCAT



Applications: 843, 843B, 843H, 843HC
Overall Dimensions:
36" x 12 3/8"
Core Dimensions:
30 1/4" x 11 1/2" x 3 3/8"
Inlet: 1 1/2"
Outlet: 1 1/2"
Rows: 5 **FPI:** 6
Filler Neck Height: 3/4"
OEM #: 6648799

219920 FORD/NEW HOLLAND



Applications:
L779, L783, L784, L785
Overall Dimensions:
27 3/8" x 18 7/8"
Core Dimensions:
20 7/8" x 18 1/8" x 2 5/8"
Inlet: 1 1/2"
Outlet: 1 3/4"
Rows: 4 **FPI:** 9
Filler Neck Height: 3/4"
OEM #: 9619995

219921 FORD/NEW HOLLAND

Applications:
L783, L785
Overall Dimensions:
27 3/8" x 19 1/8"
Core Dimensions:
21" x 17 7/8" x 3"
Inlet: 1 1/2"
Outlet: 1 3/4"
Rows: 4 **FPI:** 9
Filler Neck Height: 3/4"
OEM #: 9828738




219922 FORD/NEW HOLLAND - JOHN DEERE

Applications: Ford/New Holland
L865, L885, LS180, LX865, LX885,
John Deere 8875
Overall Dimensions:
25 3/4" x 20 1/4"
Core Dimensions:
20" x 19 1/2" x 3 5/16"
Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 5 **FPI:** 11
Filler Neck Height: 3/4"
OEM #: MG86534243,
86534243, A86534243, 86511967



219923 FORD/NEW HOLLAND

Applications:
LS190, LX985
Overall Dimensions:
27 1/2" x 20 3/8"
Core Dimensions:
22 3/4" x 19 3/4" x 3 3/8"
Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 5 **FPI:** 9
Filler Neck Height: 3/4"
OEM #: 86546700



219933 JOHN DEERE

Applications: 260, 270,
280 Loaders
Overall Dimensions:
26 1/2" x 22 1/4"
Core Dimensions:
22" x 21 1/4" x 2 3/4"
Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 4 **FPI:** 10
Filler Neck Height: 1"
OEM #: KV23966, KV19380,
KV15870



RADIATOR Illustrations

219934 JOHN DEERE



Applications: 375, 3375
Overall Dimensions:
 20 1/2" x 12"
Core Dimensions:
 16 3/8" x 11 3/8" x 2 1/2"

Inlet: 1 1/8"
Outlet: 1 1/8"
Rows: 4 **FPI:** 11
Filler Neck Height: 5/8"
OEM #: AM130325

219951 CASE/IH



Applications:
 1835C
Overall Dimensions:
 25 3/8" x 21 1/4"
Core Dimensions:
 19 3/8" x 20" x 2"
Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 3 **FPI:** 5
Filler Neck Height: 3/4"
OEM #: A190749

219955 BOBCAT



Applications: 853, 853H, 853C, 853F Series, 853HC
Overall Dimensions:
 31 1/2" x 16 7/8"
Core Dimensions:
 26 1/2" x 15 1/2" x 3 1/4"

Inlet: 1 1/4"
Outlet: 1 1/4"
Rows: 4 **FPI:** 11
Filler Neck Height: 3/4"
OEM #: 6579535

219965 FORD/NEW HOLLAND



Applications: L255, LS125
Overall Dimensions:
 21" x 12"
Core Dimensions:
 16 3/4" x 11 1/4" x 2 1/2"

Inlet: 1 1/8"
Outlet: 1 1/8"
Rows: 4 **FPI:** 12
Filler Neck Height: 3/4"
OEM #: 847465

219967 FORD/NEW HOLLAND

Applications:
 L454, L455
Overall Dimensions:
 21 1/2" x 15 3/4"
Core Dimensions:
 17 1/2" x 15 3/8" x 2 3/8"
Inlet: 1 1/2"
Outlet: 1 1/2"
Rows: 5 **FPI:** 9
Filler Neck Height: 1 1/4"
OEM #: 9828621,
 MG9828621



219983 BOBCAT

Applications:
 943, 953, 953F Series
Overall Dimensions:
 25" x 20 1/4"
Core Dimensions:
 19 3/4" x 19 1/2" x 2"
Inlet: 1 1/2"
Outlet: 1 1/2"
Rows: 3 **FPI:** 7
Filler Neck Height: 3 3/4"
OEM #: 6660004, 666004,
 6630958
Note: Fill neck on back of top tank



RADIATOR Illustrations

219984 BOBCAT

Applications: 963
Overall Dimensions:
 29 ³/₈" x 22 ⁵/₈"
Core Dimensions:
 23 ¹/₂" x 21 ⁵/₈" x 2 ³/₄"
Inlet: 1 ³/₄"
Outlet: 1 ³/₄"
Rows: 4 **FPI:** 10
Filler Neck Height: 1"
OEM #: 6673111,
 6668878, 6673711
Note: Fill neck on back
 of top tank



219985 BOBCAT

Applications: 963,
 963G Series
Overall Dimensions:
 29 ³/₈" x 22 ¹/₂"
Core Dimensions:
 23 ¹/₂" x 22" x 2 ⁵/₈"
Inlet: 1 ³/₄"
Outlet: 1 ³/₄"
Rows: 4 **FPI:** 11
OEM #: 6674691
Note: Fill neck on back
 of top tank



219986 BOBCAT



Applications: 773T, A300, S220, S250,
 S300, S330, T250, T300, T320
Overall Dimensions:
 33 ¹/₄" x 16 ¹/₂"
Core Dimensions:
 27 ¹/₂" x 15 ¹/₄" x 2"
Inlet: 1 ⁵/₈"
Outlet: 1 ⁵/₈"
Rows: 3 **FPI:** 13
OEM #: 6684367, 6737650, 6737658,
 7173921

219988 BOBCAT



Applications: 773
Overall Dimensions:
 32" x 12 ³/₈"
Core Dimensions:
 26 ¹/₂" x 11 ⁵/₈" x 2 ¹/₁₆"
Inlet: 1 ¹/₄"
Outlet: 1 ¹/₄"
Rows: 4 **FPI:** 10
Filler Neck Height: ⁷/₈"
OEM #: 6674377, 6675266

219989 BOBCAT



Applications: 733G, 773, 773G, S150,
 S160, S175, S175G Series, S185, S185G
 Series, T190, T190G Series
Overall Dimensions:
 31" x 13 ⁵/₈"
Core Dimensions:
 27" x 12 ⁵/₈" x 2 ⁵/₈"
Inlet: 1 ¹/₄"
Outlet: 1 ¹/₄"
Rows: 4 **FPI:** 16
Filler Neck Height: 2 ¹/₄"
OEM #: 6685733, 6718648

219990 BOBCAT



Applications: 553, S130, T140
Overall Dimensions:
 32" x 12 ¹/₄"
Core Dimensions:
 26 ¹/₈" x 11 ⁵/₈" x 2 ⁵/₈"
Inlet: 1 ¹/₄"
Outlet: 1 ¹/₄"
Rows: 4 **FPI:** 8
OEM #: 6736362

RADIATOR Illustrations

219991 BOBCAT



Applications: S150, S150G, S160, S160G, S175, S185, S205, T180, T180G, T190, TB85, TB90, TB100, TB110, TB120

Overall Dimensions:
31" x 13 5/8"

Core Dimensions:
27" x 12 5/8" x 2 5/8"

Inlet: 1 1/4"
Outlet: 1 1/4"
Rows: 4 **FPI:** 14
OEM #: 6686077, 6734100

219992 JOHN DEERE



Applications: 240, 250

Overall Dimensions:
24" x 20"

Core Dimensions:
19 1/4" x 19 1/4" x 2"

Inlet: 1 1/2"
Outlet: 1 3/4"
Rows: 3 **FPI:** 12
Filler Neck Height: 3/4"
OEM #: KV20572, KV12198, KV15844


219993 JOHN DEERE

Applications: 332

Overall Dimensions:
28 1/2" x 14 1/4"

Core Dimensions:
22 5/8" x 13 1/2" x 4 7/8"

Inlet: 2"
Outlet: 2"
Rows: 7 **FPI:** 9
Filler Neck Height: 7/8"
OEM #: KV24895



219997 FORD/NEW HOLLAND - CASE/IH

Applications: Ford/New Holland C175, C185, C190, L175, L180, L185, L190, LS180B, LS185B, LS190B, LT185B, LT190B
Case/IH 410, 420, 420CT, 430, 435, 440, 440CT, 445, 445CT, 450, 450CT, 465

Overall Dimensions:
26" x 21 1/2"

Core Dimensions:
21 5/8" x 20 5/8" x 2 1/4"

Inlet: 1 3/4"
Outlet: 1 3/4"
Rows: 2 **FPI:** 10
Filler Neck Height: 1"
OEM #: 87013856, 87015523



219998 FORD/NEW HOLLAND

Applications: L140, LS140, LS140E, L150, LS150, LS150E, L160, LS160, LS160E, L170, LS170, LS170E, SR150

Overall Dimensions:
22" x 18 1/2"

Core Dimensions:
18 3/4" x 17 5/8" x 2 1/8"

Inlet: 1 5/8"
Outlet: 1 5/8"
Filler Neck Height: 1 1/4"
OEM #: 87033479



Blower Motor Applications

MODEL	OEM #	PART #	NOTES
BOBCAT			
A220	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
A220G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
A300	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
A300G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S130	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S150	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S150G	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S160	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S160G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S175	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S175G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S185	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S185G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S205	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S220	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S220G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S250	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
S300	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
T180	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
T180G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
T190	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
T200	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
T200G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
T250	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
T250G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
T300	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
T300G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
453C	72215795	BM3339830	9" Pusher Condenser Fan Assembly Curved Blade, Low Profile, CCW
453D	72215795	BM3339830	9" Pusher Condenser Fan Assembly Curved Blade, Low Profile, CCW
453F	72215795	BM3339830	9" Pusher Condenser Fan Assembly Curved Blade, Low Profile, CCW
751	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
753	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
753G	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
763	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
763G	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
773	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
773 G Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
773 T Series	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
863G	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
864	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
864G	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
873	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
873G	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE

Blower Motor Applications

MODEL	OEM #	PART #	NOTES
BOBCAT (CONT)			
883	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
963	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
963G	6675509, RD58526	35501	12 Volt Vented w/o Wheel, CCWLE
CASE/IH			
75XT	178454A2	BM3339853	12 Volt, Blower Motor Assembly
85XT	178454A2	BM3339853	12 Volt, Blower Motor Assembly
85XT	401360A1	BM2617	Blower Resistor
90XT	178454A2	BM3339853	12 Volt, Blower Motor Assembly
90XT	401360A1	BM2617	Blower Resistor
95XT	178454A2	BM3339853	12 Volt, Blower Motor Assembly
95XT	401360A1	BM2617	Blower Resistor
FORD/NEW HOLLAND			
L553	9843214, T55563, 73R0102, 6630980	BM3339858	Single Shaft, CCW
L785	9843214, T55563, 73R0102, 6630980	BM3339858	Single Shaft, CCW
L785	-----	BM3339859	Single Shaft, 12 Volt, CCW
LS140	86592107	BM3339860	12 Volt, Blower Motor Assembly
LS150	86592107	BM3339860	12 Volt, Blower Motor Assembly
LS160	86592107	BM3339860	12 Volt, Blower Motor Assembly
LS170	86592107	BM3339860	12 Volt, Blower Motor Assembly
LS180	86592107	BM3339860	12 Volt, Blower Motor Assembly
LS180B	86592107	BM3339860	12 Volt, Blower Motor Assembly
LS185B	86592107	BM3339860	12 Volt, Blower Motor Assembly
LS190	86592107	BM3339860	12 Volt, Blower Motor Assembly
LS190B	86592107	BM3339860	12 Volt, Blower Motor Assembly
LX465	86592107	BM3339860	12 Volt, Blower Motor Assembly
LX485	86592107	BM3339860	12 Volt, Blower Motor Assembly
LX565	86592107	BM3339860	12 Volt, Blower Motor Assembly
LX565	275152, 3945237, 3946686, 2809551007, 450037010, 450096021, 73R4422, 3945237, 70257336, 7114336, 700710548, 7025851, V20674	35546	12 Volt, Double Shaft, Vented w/o Wheel
LX565	-----	BM2751	Blower Wheel, CCW Rotation
LX565	-----	BM2752	Blower Wheel, CW Rotation, Steel
LX665	86592107	BM3339860	12 Volt, Blower Motor Assembly
LX665	275152, 3945237, 3946686, 2809551007, 450037010, 450096021, 73R4422, 3945237, 70257336, 7114336, 700710548, 7025851, V20674	35546	12 Volt, Double Shaft, Vented w/o Wheel
LX665	-----	BM2751	Blower Wheel, CCW Rotation
LX665	-----	BM2752	Blower Wheel, CW Rotation
LX865	86592107	BM3339860	12 Volt, Blower Motor Assembly
LX885	275152, 3945237, 3946686, 2809551007, 450037010, 450096021, 73R4422, 3945237, 70257336, 7114336, 700710548, 7025851, V20674	35546	12 Volt, Double Shaft, Vented w/o Wheel
LX885	86592107	BM3339860	12 Volt, Blower Motor Assembly
LX985	86592107	BM3339860	12 Volt, Blower Motor Assembly

Blower Motor Applications

MODEL	OEM #	PART #	NOTES
JOHN DEERE			
CT332	KV16757	BM3339817	12 Volt, Complete Assembly
240	KV16757	BM3339817	12 Volt, Complete Assembly
250	KV16757	BM3339817	12 Volt, Complete Assembly
251	KV16757	BM3339817	12 Volt, Complete Assembly
260	KV16757	BM3339817	12 Volt, Complete Assembly
270	KV16757	BM3339817	12 Volt, Complete Assembly
280	KV16757	BM3339817	12 Volt, Complete Assembly
317	KV16757	BM3339817	12 Volt, Complete Assembly
320	KV16757	BM3339817	12 Volt, Complete Assembly
325	KV16757	BM3339817	12 Volt, Complete Assembly
328	KV16757	BM3339817	12 Volt, Complete Assembly
GEHL			
5640	89512492, 9512492	BM3339869	3 Speed Resistor, 12 Volt Blower Motor Assembly
SCAT TRAK			
1750D	001A2230D	BM3339878	Blower Motor

Blower Motor Illustrations

35501 BOBCAT



Type: Double Shaft

Rotation: Counter Clockwise Lead End

Shaft Diameter: $\frac{5}{16}$ "

Shaft Length: $3 \frac{1}{8}$ "

Motor Length: $3 \frac{3}{4}$ "

Motor Diameter: 3"

Voltage: 12

Notes: May need to re-use original plug

35546 FORD/NEW HOLLAND



Type: Double Shaft, Single Speed

Shaft Size: $\frac{5}{16}$ "

Shaft Length: $2 \frac{5}{16}$ "

Motor Diameter: 3"

Motor Length: $4 \frac{3}{4}$ "

Rotation: Counter Clockwise Lead End

Voltage: 12

Notes: Vented w/o wheel

BM2751 FORD/NEW HOLLAND



Shaft: $\frac{5}{16}$ "

Overall Length: $2 \frac{1}{2}$ "

Rotation: Counter Clockwise

Overall Diameter: $3 \frac{7}{8}$ "

Notes: Vented steel wheel

BM2752 FORD/NEW HOLLAND



Shaft: $\frac{5}{16}$ "


Overall Diameter: $3 \frac{7}{8}$ "

Overall Length: $2 \frac{1}{2}$ "

Rotation: Clockwise

Notes: Vented, Steel Wheel

BM3339817 JOHN DEERE



Type: Complete Assembly

Mounting Base Length: $13 \frac{3}{4}$ "

Mounting Base Width: $5 \frac{1}{4}$ "

Overall Width: $6 \frac{1}{2}$ "

Overall Height: $5 \frac{1}{2}$ "

Voltage: 12

Notes: Use blower motor resistor BM2612 (4 Terminal) with this assembly

BM3339830 BOBCAT



Type: Condenser Fan Assembly

Overall Diameter: $10 \frac{1}{2}$ "

Fan Diameter: 9"

Rotation: Counter Clockwise

Mount Hole Spacing: $9 \frac{7}{8}$ "

Wires: 2

Voltage: 12

Blower Motor Illustrations

BM3339853 CASE/IH



Mount Base Length: 13 3/4"
Mount Base Width: 5 1/4"
Overall Width: 6 1/4"
Overall Height: 5 1/2"

Voltage: 12
Notes: Complete blower assembly,
 Resistor not included, Sold separately
 as BM2618

BM3339858 FORD/NEW HOLLAND



Type: Single Shaft
Body Length: 3 1/2"
Rotation: Counter Clockwise
Motor Diameter: 3"

Shaft Diameter: 5/16"
Shaft Length: 3/4"
Voltage: 12

BM3339859 FORD/NEW HOLLAND



Type: Single Shaft
Shaft Diameter: 1/4"
Shaft Length: 1 1/4"
Motor Length: 2 1/2"

Motor Diameter: 3"
Rotation: Counter Clockwise
Voltage: 12
Notes: Non-vented, w/o wheel

BM3339860 FORD/NEW HOLLAND



Mount Base Length: 13 3/4"
Mount Base Width: 5 1/4"
Overall Width: 6 1/2"

Overall Height: 5 1/2"
Voltage: 12

BM3339869 GEHL



Type: Double Wheel
Mount Base Length: 13 3/4"
Mount Base Width: 6 1/2"

Overall Width: 5"
Voltage: 12
Notes: 3 Speed resistor included

BM3339878 SCAT TRAK



BM2612 RESISTOR



Notes: 4 Terminal Resistor

BM2617 RESISTOR



Notes: Speed Resistor

BM2618 RESISTOR



Notes: 4 Terminal Resistor

Condenser Applications

MODEL	OEM #	PART #	NOTES
CATERPILLAR			
236B	2186807	400-734	
246B	2186807	400-734	
248B	2186807	400-734	
252B	2186807	400-734	
262B	2186807	400-734	
267B	2186807	400-734	
268B	2186807	400-734	
277B	2186807	400-734	
287B	2186807	400-734	
FORD/NEW HOLLAND			
C185	84476104, 87447385, 87546517	400-735	
C190	87546517, 87640706, 74322107, 87681242, 84322106	400-736	SN N7M457282 & After, w/HVAC 4126908, Includes bracket kit
C190	84476104, 87447385, 87546517	400-735	SN N7M457282 & Before, SN N7M457281 & After, w/HVAC 87681243
L175	87546517, 87640706, 74322107, 87681242, 84322106	400-736	Includes bracket kit
L185	84476104, 87447385, 87546517"	400-735	

Condenser Illustrations

400-734 CATERPILLAR



Applications: 236B, 246B, 248B, 252B, 262B, 267B, 268B, 277B, 287B

Core Size: 9 ³/₄" x 19 ⁵/₈" x 1"
Fittings: O-Ring

400-735 FORD/NEW HOLLAND



Applications: C190, L175

Core Size: 22" x 19" x 1 ¹/₄"
Fittings: #8, #6 Male O-Ring

400-736 FORD/NEW HOLLAND



Applications: C190, L175

Core Size: 14" x 20" x ³/₄"
Fittings: #8, #6 Male O-Ring

Oil Cooler Applications

MODEL	OEM #	PART #	NOTES
BOBCAT			
A220	6710791	190092	Hydraulic
A300	6710791	190092	Hydraulic
S510	7009254, 7012614	190098	SN A3NJ11001 to SN A3NJ11704, SN A3NK11001 & After, SN ATZC11001 & After
S530	7009254, 7012614	190098	SN A7TV11001 to SN A7TV12646, SN A7TV12648 to SN A7TV12651, SN ATZD11001 & After, SN AZN611001 & After, SN AZN711001 & After
S550	7009254, 7012614	190098	SN A3NL11001 to SN A3NL11635, SN A3NM11001 & After, SN AZN811001 & After, SN AZN911001 & After
S570	7009254, 7012614	190098	SN A7U711001 to SN A7U713404, SN A7U713411 to SN A7U713412, SN A7U811001 & After, SN AZNB11001 & After, SN AZNC11001 & After
S590	7009254, 7012614	190098	SN ANMN11001 to SN ANMN13340, SN ANMP1100 & After, SN AZND11001 & After, SN AZNE11001 & After
S750	7009254, 7012614	190098	SN A3P211001 to SN A3P214829, SN A3P214830 & After, SN ATDZ11001 to SN ATDZ12612, SN ATDZ12613 & After
S770	7009254, 7012614	190098	SN A3P411001 to SN A3P413091, SN A3P511001 to SN A3P512440, SN A3P413092 & After, SN A3P512441 & After, SN ASRV11001 to SN ASRV13052, SN ASRV13053 & Above, SN ATF211001 to SN ATF212073, SN ATF212074 & After, SN ATF311001 & After
S850	7009254, 7012614	190098	SN ATF411001 to SN ATF411989, SN ACS711001 to SN ACS712953, SN ACSL11001 to SN ACSL12612, SN ACS712954 & After, SN ACSL12613 & After, SN ATF411990 & After, SN ATF511001 & After
T200	6710791	190092	SN 516811001 to SN 516814999
T590	7009254, 7012614	190098	SN A3NR11001 to SN A3NR11359, SN A3NR11369 to SN A3NR11370, SN A3NS11001 to SN A3NS11284

Oil Cooler Applications

MODEL	OEM #	PART #	NOTES
BOBCAT (CONT)			
T630	7009254, 7012614	190098	SN A7PU11001 to SN A7PU13680, SN A7PU13681 to SN A7PU14098
T650	7009254, 7012614	190098	SN A3P011001 to SN A3P017020, SN A3P017021 to SN A3P017883, SN A3P112596 to SN A3P112824, SN AP3111001 to SN A3P112595
T750	7009254, 7012614	190098	SN ANKA11001 to SN ANKA13750, SN ANKZ13751 & After, SN ATF611001 & After
T770	7009254, 7012614	190098	SN A3P811001 to SN A3P813660, SN A3P911001 to SN A3P912295, SN A3P813661 & After, SN A3P912296 & After, SN AUYB11001 to SN AUYB11679, SN AUYB11680 & After, SN AN8T11001 to SN AN8T12182, SN AN8T12183 & After, SN ATF711001 & After
T870	7009254, 7012614	190098	SN A3PG11001 to SN A3PG12912, SN A3PH11001 to SN A3PH12530, SN A3PG12913 & After, SN A3PH12531 & After, SN AN8L11001 to SN AN8L12053, SN AN8L12054 & After, SN ATF811001 & After
863	6710791	190092	SN 514411001 to SN 514439999, SN 514511001 to SN 514539999, SN 514611001 to SN 514639999
864	6710791	190092	SN 516811001 & After, SN 516911001 & After, SN 517511001 to SN 517514999, SN 517515001 & After, SN 518911001 to SN 518914999, SN 518915001 & After
873	6710791	190092	SN 514140001 & After, SN 514240001 & After
CASE/IH			
SR175	84499497	190110	
SR220	84499497	190110	
SR240	84499497	190110	
SR250	84499497	190110	
SV185	84499497	190110	
SV250	84499497	190110	
SV280	84499497	190110	
SV300	84499497	190110	

Oil Cooler Applications

MODEL	OEM #	PART #	NOTES
CASE/IH (CONT)			
TR320	84499497	190110	Track Loader
TV380	84499497	190110	Track Loader
1835C	A184084, A173120, A1845C84	190034	Hydraulic
1838	A184084, A173120, A1845C84	190034	Hydraulic
1840	A184084, A173120, A1845C84	190034	Hydraulic
1845C	A184084, A173120, A1845C84	190034	Hydraulic
40XT	386925A1, 367985A3	190051	w/o High Flow Gear Only
60XT	386925A1, 367985A3	190051	w/o High Flow Gear Only
70XT	386925A1, 367985A3	190051	w/o High Flow Gear Only
420	87015306	190064	w/High Flow, Before SN N7M466710
420CT	87015306	190064	w/High Flow, Before SN N7M455401
430	87015306	190064	w/High Flow, Before SN N7M479683
440	87015306	190064	SN N8M407542 & After, European Models
440CT	87015306	190064	w/High Flow, Before SN N8M483467
FORD/NEW HOLLAND			
C175	87014852, 87032488	190036	
C185	87687378	190095	SN N8M469898 & After
C190	87014852, 87032488	190036	SN N7M457281 & Before
C190	87687378	190095	SN N7M457282 & After
C232	84499497	190110	Track Loader
C238	84499497	190110	Track Loader
L160	87014828, 87038309	190063	Hydraulic
L170	87014828, 87038309	190063	Hydraulic
L175	87014852, 87032488	190036	01/07 & After
L180	87014852, 87032488	190036	1 Speed w/SN N8M464427 & Before, 2 Speed w/SN N8M464425 & Before
L180	87687378	190095	1 Speed w/SN N8M464428 & After, 2 Speed w/SN N8M464426 & After
L185	87687378	190095	1 Speed w/SN N8M465249 & After, 2 Speed w/SN N8M465247 & After
L185	87014852, 87032488	190036	1 Speed w/SN N8M465248 & Before, 2 Speed w/SN N8M465246 & Before
L190	87687378	190095	SN N7M459487 & After
L190	87014852, 87032488	190036	SN N7M459486 & Before
L218	84499497	190110	Track Loader
L220	84499497	190110	Track Loader
L230	84499497	190110	Track Loader
LS180B	87014852, 87032488	190036	03/05 & After
GEHL			
SL3935	17035065	190025	
SL3635	17035065	190025	SN 00001174 & Before

Oil Cooler Applications

MODEL	OEM #	PART #	NOTES
JOHN DEERE			
317	KV23228	190099	
318D	AT360781	190129	Standard Cooling Package, Steel Cooler
319D	AT360781	190129	Standard Cooling Package
320	KV23228	190099	
320D	AT360781	190129	Standard Cooling Package, Steel Cooler
325	KV26892	190111	
326D	AT360781	190129	Standard Cooling Package with A/C, 2 Speed & High Flow Machines w/Steel Cooler
328	KV26892	190111	
328D	AT360781	190129	Standard Cooling Package with A/C, 2 Speed & High Flow Machines w/Steel Cooler
329D	AT360781	190129	Standard Cooling Package with A/C
332	KV26892	190111	
332D	AT360781	190129	Standard Cooling Package with A/C
OWATONNA-MUSTANG			
2022	17035065	190025	SN 00000566 & Before
2032	17035065	190025	SN 00000541 & Before

Oil Cooler Illustrations

190025 GEHL/MUSTANG



Applications: Gehl SL3635, SL3935, Mustang 2022, 2032
Core Size: 14" x 16" x 3/4"
Ports: (2) 7/8" - 14 Thread, 37° Flare

190034 CASE/IH



Applications: 1835C, 1838, 1840, 1845C
Core Size: 20" x 20" x 1 1/2"
Ports: (2) 1 1/16" - 12 Thread, 37° Flare

190036 FORD/NEW HOLLAND



Applications: C175, C190, L175, L180, L185, L190, LS180B
Core Size: 20" x 18" x 1 1/2"
Ports: (2) 1 1/16" - 12 Thread, 37° Flare

190063 CASE/IH



Applications: 1L160, L170
Core Size: 17" x 15" x 1 1/2"
Ports: (2) 1 1/16" - 12 Thread, 37° Flare

190064 CASE/IH



Applications: 420, 420CT, 430, 440, 440CT
Core Size: 21" x 20 3/4" x 3/4"
Ports: (2) 1 1/16" - 12 Thread, 37° Flare

190092 BOBCAT



Applications: C190, L175
Core Size: 24 1/8" x 14 1/4" x 2 1/2"
Ports: (2) 3/4" NPT

Oil Cooler Illustrations

190095 FORD/NEW HOLLAND



Applications: C185, C190, L180, L185, L190
Core Size: 22 1/4" x 5 1/4" x 4 1/8"
Ports: (2) 1" NPT

190098 BOBCAT



Applications: S510, S530, S550, S570, S590, S750, S770, S850, T590, T630, T650, T750, T770, T870
Core Size: 17 1/4" x 15 3/8" x 1 7/8"
Ports: (2) 3/4" Beaded Hose

190099 JOHN DEERE



Applications: 317, 320
Core Size: 18 1/2" x 19" x 2 3/8"
Ports: #12 ORFS (1 3/16" - 12 UN)

190110 CASE/IH - FORD/NEW HOLLAND



Applications: Case/IH SR175, SR220, SR240, SR250, SV185, SV250, SV280, SV300, TR320, TV380 Ford/New Holland C232, C238, L218, L220, L230
Core Size: 23 7/8" x 5 1/2" x 4 1/8"
Ports: (2) SAE #16 (1 5/16" - 12)

190111 JOHN DEERE



Applications: 325, 328, 332
Core Size: 20" x 22" x 3"
Ports: (2) #12 ORFS

190129 JOHN DEERE



Applications: 318D, 319D, 320D, 326D, 328D, 329D, 332D
Core Size: 22 5/8" x 10" x 2 1/4"
Ports: #12 ORFS (1 3/16" - 12 UN)

Charge Air Cooler Applications

MODEL	OEM #	PART #	NOTES
CASE/IH			
SR220	84515801	222339	Tier 4A, 1/1/2013 & After
SR250	84515801	222339	Tier 4A, 7/1/2012 to 3/31/2015
SV250	84515801	222339	Tier 4B, 4/1/2013 & After
SV300	84515801	222339	Tier 4A, 7/1/2012 to 3/31/2015
TR320	84515801	222339	Track Loader, Tier 4A, 7/1/2012 & After
TV380	84515801	222339	Track Loader, Tier 4A, 7/1/2012 to 3/31/2015
FORD/NEW HOLLAND			
C232	84515801	222339	1/1/2013 to 2/28/2015
C238	84515801	222339	7/1/2012 to 3/31/2015
L230	84515801	222339	7/1/2012 to 3/31/2015

Charge Air Cooler Illustration

222339 CASE/IH - FORD/NEW HOLLAND

Applications: Case/IH SR220, SR250, SV250, SV300, TR320, TV380, Ford/New Holland C232, C238, L230

Core Size: 23 1/4" x 4 1/2" x 4"

Inlet: 2 3/8"

Outlet: 2 1/2"



Auxiliary Heater Applications

PART #	BTU	CASE SIZE	FAN	MOUNTING	NOTES
STANDARD					
AH464 - 12 Volt AH24464 - 24 Volt	16,000	6 3/8" x 6 3/4" x 7 1/2"	Single Fan 2-Speed	Through the floor hose connection	<ul style="list-style-type: none"> • Compact • Great for rear van heat
AH500 - 12 Volt	16,000	10" x 10" x 4"	Single Fan 2-Speed	Ideal for under seat heat	<ul style="list-style-type: none"> • Compact • Great for vehicles where space is a factor
AH454 - 12 Volt AH24454 - 24 Volt	20,000	9 1/2" x 6 1/2" x 7"	Single Fan 2-Speed	Sidewall exit hose connection for convenient wall mount	<ul style="list-style-type: none"> • Compact • Adjustable louver to direct heat flow
AH468 - 12 Volt AH24468 - 24 Volt	20,000	9 1/2" x 6 1/2" x 7"	Single Fan 2-Speed	Through the floor bolt down mounting case	<ul style="list-style-type: none"> • Compact • Adjustable louver • Great for delivery vans
AH474 - 12 Volt AH24474 - 24 Volt	20,000	9 1/2" x 6 1/2" x 7"	Single Fan 2-Speed	Convenient fan switch is mounted right in case	<ul style="list-style-type: none"> • Compact • Adjustable louver • Fleet vehicles
HIGH-OUTPUT					
AH530 - 12 Volt	16,000	6 1/2" x 6 3/4" x 8 7/8"	Squirrel Cage Fan	Through the floor 3-Speed	<ul style="list-style-type: none"> • Great for rear passenger van heat • High-Output Heat
AH525 - 12 Volt	20,000	9 1/2" x 6 1/2" x 9"	Squirrel Cage Fan	Wall or Side Mount 3-Speed	<ul style="list-style-type: none"> • Great for rear passenger van heat • High-Output Heat
AH535 - 12 Volt AH24535 - 24 Volt	30,000	16" x 6 1/2" x 9"	Dual Wheel Blower 3-Speed	Wall or Side Mount	<ul style="list-style-type: none"> • Dual directional louvers • Installation kit included • High-Output Heat
AH545 - 12 Volt AH24545 - 24 Volt	30,000	16" x 6 1/2" x 9"	Dual Wheel Blower 3-Speed	Wall or Side Mount	<ul style="list-style-type: none"> • 3 Ducts for heating/defrosting • Requires included hose & louver installation kit • High-Output Heat
*AH545-1 - Hose/Louver Kit (Sold Separately/Recommended)					
AH550 - 12 Volt AH24550 - 24 Volt	30,000	16" x 6 1/2" x 9"	Dual Wheel Blower 3-Speed	Wall or Side Mount	<ul style="list-style-type: none"> • Full front opening • Ideal for heating large areas • High-Output Heat

Standard Auxiliary Heater Illustrations

MODEL 454 - 20,000 BTU

This 20,000 BTU heater has sidewall exit hose connections for convenient wall mounting. Great for applications where through the floor exit is impossible or impractical. Adjustable directional louver allows you to direct the heat just where it is needed most. Installation kit included.

9 1/2" x 6 1/2" x 7" • 12 or 24 volt available.

AH454 12 Volt AH24454 24 Volt

Features: Compact size, 2 speed fan, rear fan guard

For High-Output Version see AH525



MODEL 464 -16,000 BTU

A small compact sized heater with high BTU. This heater features through the floor hose connections, so all coolant connections are located outside of the passenger area. Great for rear van heat. Installation kit included.

6 3/8" x 6 3/4" x 7 1/2"

12 or 24 volt available.

**AH464 12 Volt
AH24464 24 Volt**

Features: Compact size, 2 speed fan, steel case and thru the floor hose connections.

For High-Output Version see AH530



MODEL 468 - 20,000 BTU

Through the floor hose connections and bolt to the floor mountings means heavy duty, safe installation. Great for delivery vans, 4 x 4's and much more. Directional air louver is adjustable to direct air flow for best circulation.

9 1/2" x 6 1/2" x 7" • 12 or 24 volt available.

AH468 12 Volt AH24468 24 Volt

Features: Compact size, adjustable louvers, bolt down mounting case.



MODEL 474 - 20,000 BTU

Greatly used in fleet vehicles, this model was developed with a convenient fan switch mounted right in the case for easy driver control. Features through sidewall connections.

9 1/2" x 6 1/2" x 7" • 12 or 24 volt available.

AH474 12 Volt AH24474 24 Volt

Features: Compact size, 2 speed, case mounted, fan switch, adjustable louvers.



MODEL 500 -16,000 BTU

Designed for underseat mounting, this compact heater is only 4" tall. Fits under any seat, stays out of the way, and provides 16,000 BTU of heat. Great for vehicles where space is a factor.

10" x 10" x 4" • 12 volt only.

AH500 12 Volt

Features: Compact size, 12 volt, ideal for underseat mounting.

High-Output Auxiliary Heater Illustrations

MODEL 525

3 Speed High-Output Heater, High Efficiency Aluminum Core, All Steel, Powder Coated Case, 12 Volt

AH525 6 1/2" x 9 1/2" x 9"

Directional Louver



MODEL 530

3 Speed High-Output Heater, High Efficiency Aluminum Core, All Steel, Powder Coated Case, 12 Volt

AH530 6 3/4" x 6 1/2" x 8 7/8"



MODEL 550

A large fan with quiet operation! Has full front opening for blowing heat. If you have a vehicle with a large area to heat, then this is the heater for you. 16" x 6 1/2" x 9".

AH550 12 Volt **AH24550** 24 Volt

Features: Large size, dual squirrel cage fans w/full front opening and 3 speed fan.



MODEL 535

A large fan with big heat! Has dual fans and dual air directional louvers for blowing the heat in the direction needed. If you have a vehicle with a large area to heat, then this heater is for you. Installation kit included. 16 x 6 1/2 x 9".

AH535 12 Volt **AH24535** 24 Volt

Features: Large size, dual 3 speed fans with directional louvers



MODEL 545

A large fan with big heat! Has dual fans and 3 defroster ducts for conveniently routing air flow to your application. May be used for heating or defrosting. If you have a vehicle with a large area to heat, then this is the heater for you! Installation kit included. 16" x 6 1/2" x 9".

AH545 12 Volt **AH24545** 24 Volt

AH545-1 Hose & Louver Kit

Features: Large size, Dual fans with 3 ducts, and 3 speed fan. This model requires hose & louver kit.



2701 4th Avenue SW • Willmar, MN 56201
1-800-328-8900 • www.NorthernRadiator.com